# PROTECTED SPAWNING AREAS and IMPACT OF LAND RECLAMATION ON FISHERIES



#### Mudjekeewis D. Santos, Ph.D.

NAST-OYS 2011
Scientist II, NFRDI
Faculty, UST & ADMU
mudjiesantos@gmail.com

Mudjekeewis = god of winds

Dalisay


= Pure

Santos

= Saint

Ph.D.

= Puro hangin Dala



#### Research Arm of BFAR established in 1998



www.nfrdi.da.gov.ph.

# **Breaking News:** World capture fisheries in crisis!!!



Science & Environment

#### Marine population halved since 1970 report

() 16 September 2015 | Science & Environment



Populations of marine mammals, birds, fish and reptiles have declined by 49% since 1970, a report says.

The study says some species people rely on for food are faring even worse, noting a 74% drop in the populations of tuna and mackerel.

In addition to human activity such as overfishing, the report also says climate change is having an impact.

#### **ARTICIF**

Received 27 Feb 2015 | Accepted 19 Nov 2015 | Published 19 Jan 2016

Catch reconstructions reveal that global marine fisheries catches are higher than reported and declining

Daniel Pauly<sup>1</sup> & Dirk Zeller<sup>1</sup>

Fisheries data assembled by the Food and Agriculture Organization (FAO) suggest that global marine fisheries catches increased to 86 million tonnes in 1996, then slightly declined. Here, using a decade-long multinational 'catch reconstruction' project covering the Exclusive Economic Zones of the world's maritime countries and the High Seas from 1950 to 2010, and accounting for all fisheries, we identify catch trajectories differing considerably from the national data submitted to the FAO. We suggest that catch actually peaked at 130 million tonnes, and has been declining much more strongly since. This decline in reconstructed catches reflects declines in industrial catches and to a smaller extent declining discards, despite industrial fishing having expanded from industrialized countries to the waters of developing countries. The differing trajectories documented here suggest a need for improved monitoring of all fisheries, including often neglected small-scale fisheries, and illegal and other problematic fisheries, as well as discarded bycatch.

## PH fisheries one of world's top






- among top 10 fish producing countries in the world
- □ 3<sup>rd</sup> in seaweeds production in the world
- 3<sup>rd</sup> longest coastline in the world
- 1 of few Distant Water Fishing Nations (DWFN)
- Contribution to total GDP: ~ 150 B
- Employment: ~ 1.5 M (direct)

## PH: Center of marine biodiversity



Philippines host to the highest number of marine organisms per area!



# 2 new fish spp. described in the past year, endemic to the PH



#### Article



http://dx.doi.org/10.11646/zootaxa.3911.2.10 http://zoobank.org/urn:lsid:zoobank.org:pub:501BD04B-EB95-4533-B377-239AB03C0020

#### A new fish species of the subfamily Serraninae (Perciformes, Serranidae) from the Philippines

#### JEFFREY T. WILLIAMS1 & KENT E. CARPENTER2

<sup>1</sup>Division of Fishes, Department of Vertebrate Zoology, National Museum of Natural History, Smithsonian Institution, 4210 Silver Hill Road, Suitland, MD 20746, USA, E-mail williamsjt@si.edu

Department of Biological Sciences, Old Dominion University, Norfolk, Virginia 23529, USA, E-mail: kcarpent@odu.edu

#### Abstract

A new species of serranine fish is described from the Philippine Islands. A single specimen of a new species, Ch. happerca santosi, captured by fishermen working in Palawan waters was discovered in the public fish market in toilo City, Page Philippines. Two additional specimens of the new species, also from the Philippines, were sub-equently discovered to the collections of the Museum Victoria, Australia. The new species is currently known any from the Philippines and is a tracterized by its distinctive coloration with a row of four small dark spots or me snout (two in front of ca. (e.)) and to dark spots on the chin (one on each side of the symphysis of the denaries), a white anal fine run it largely dow spots separated by broad white interspaces and a narrow yellow dist of border, caudal fine of the change of the symphysis of the denaries), and the change of the symphysis of the denaries of the symphysis of t

Key words: Chelidoperca santosi, perchlet, Serranidae, Philippines, end inic



FIGURE 1. Chelidoperca santosi, holotype, PNM 15190, 84 mm SL, freshly collected at a fish market at Iloilo, Panay, Philippines, photographed by J.T. Williams.

#### Journal of the Ocean Science Foundation

2017, Volume 25



Acanthurus albimento, a new species of surgeonfish (Acanthuriformes: Acanthuridae) from northeastern Luzon, Philippines, with comments on zoogeography

#### KUNT E. CARPENTER

Department of an log call the ces, Old Down on University, Norfolk, Virginia 23529, USA

#### TEEEDENT WILLIAMS

Division of Fishes, Department of Vertebrate Zoology, Novemal Museum of Natural History, 4210 Silver Hill Road, Suitland, MD 20746, USA E-mail: williamsjt@si.edu

#### MUDJEKEEWIS D. SANTOS

Genetic Fingerprinting Laboratory, Research and Ecological Assessment Division, National Fisheries Research & Development Institute,





Figure 3. Acanthurus albimento, fresh holotype, PNM 15199, 252.4 mm SL, northeast Luzon, Philippines (J.T. Williams).

Pogi perchlet (Chelidoperca santosi)

Whitechin surgeonfish (Acanthurus albimento)


#### PH Capture Fisheries: Over the MSY in 80's



Surplus production model for pelagic fishes (Dalzell et al, 1986)

## Small pelagic stocks declining

Time-series data of total small pelagic catch, fishing effort and catch per effort, 1948 to 1986 (Dalzell and Corpuz 1990)





## Demersal stocks declining

Area	Year	Stockdensity (t/km²)	Relative density (% of baseline)	Source
Manila Bay	1949-50	4.61	100.0	Warfel & Manacop 1950
	1968-72	1.71	37.1	Silvestre et al., 1987
	1992-93	0.47	10.2	Armada, 1994
San Miguel Bay	1947	10.6	100.0	Warfel & Manacop 1950
	1980-81	2.13	20.1	Vakily, 1982
	1992-93	1.96	18.5 ♥	Cinco et al., 1995
	1995-96	1.31	12.4	Soliman & Dioneda, 1997
Lingayen Gulf	1978-79	1.33	100.0	Villoso & Aprieto, 1983
	1987-88	0.57	42.9 <b>Y</b>	Ochavillo et al., 1989
Carigara Bay	1979-80	2.00	100.0	Armada & Silvestre, 1981
	1995-96	1.04	52.0 <b>Y</b>	Pura et al., 1997
Sorsogon Bay	1972	1.87	100.0	Ordoñez et al., 1972
	1994-95	1.20	64.2 <sup>•</sup>	Cinco & Perez, 1996

Estimates of demersal stock densities in selected fishing grounds of the Philippines


# Fishing grounds heavily exploited






10 out of 13 fishing grounds in the Philippines are overfished or heavily exploited. Let's work hard to turn the tide. #PaNaGaT #SFS2015





## PH: "hottest of hotspots"

Fig. 3. Threats to reefs in centers of endemism. The figure shows mean (circles), maximum, and minimum threat scores for grid cells included within each center of endemism, calculated with data from Bryant et al. (3, 13).



Center of endemism

Roberts et al 2002.



## PH fisherfolk: Poorest of the poor





ENVIRONMENT

# PH oceans in crisis: The sad state of small fisherfolk

On Friday, May 30, a day before National Fisherfolk's Day, fisheries reform advocates will march to Malacañang to submit to President Aquino a proposal on how to save Philippine marine resources



Pia Ranada @piaranada Published 9:00 AM, May 30, 2014

Updated 2:35 PM, May 30, 2014



# PH Fishery Laws are responsive

SEC. 101. Fishing shall be unlawful sanctuaries as decla

Upon a summary confiscation of cate amount indicated b

- (1) Twenty thousan fails to pay the fine
- (2) Two hundred th
- (3) Six hundred tho
- (4) One million pes

Upon conviction imprisonment of administrative fine.

amended, as follows:

"Sec. 2. Declara the policy of the Sta

(a) x x x

 $X \quad X \quad X$ 

SEC. 100. Fishing During Closed Season. – It shall be unlawful to fish during closed season.


Upon a summary finding of administrative liability, the offender shall be punished with confiscation of catch and gear and an administrative fine of:

- (1) Three times the value of the catch or Twenty thousand pesos (P20,000.00) for municipal fishing, whichever is higher: Provided, That if the offender fails to pay the fine, community service shall be rendered:
- (2) Five times the value of the catch or One hundred thousand pesos (P100,000.00), whichever is higher for small-scale commercial fishing;
- (3) Five times the value of catch or Three hundred thousand pesos (P300,000.00), whichever is higher for medium-scale commercial fishing; and
- (4) Five times the value of catch or Five hundred thousand pesos (P500,000.00), whichever is higher for large-scale commercial fishing.

Upon conviction by a court of law, the offender shall be punished with imprisonment of six (6) months and one (1) day to six (6) years, confiscation of catch and gear, and fine twice the amount of the administrative fine and cancellation of license or permit. (aa)

Rule 100.1. Scientific Basis. – The DA-NFRDI and DA-BFAR, in coordination with the concerned stakeholders, LGUs and other government agencies, whenever appropriate, shall conduct resource assessments to determine whether there is a need to establish or continue declaring a closed season for fishing or for the use of some fishing gears and/or methods for some fishery species.

## Science-based fishery industry plan



#### Strategy 3:

Implement science-based conservation and management measures

Implement science-based measures to rehabilitate domestic stocks

Prevent introduction/containment of invasive/alien species (IAS)

#### Restore fishery habitats

(mangroves, sea grasses, coral reefs, wetland, and inland bodies of water) through protection and rehabilitation including pollution control

Set reference points/harvest control rules

Work for the passage of ordinances for the implementation of 10.1 - 15km by small and medium scale commercial access subject to existing laws

Revisit and review the 15km distance to include the study of bathymetry and topography


Protect spawning grounds and spawning cycles based on research and using a participatory process

Develop inter-LGU Integrated Coastal Resource Management (ICRM) plan based on PCRA

### Seasonal Fishing Closures during Peak Spawning Period of Fish

4. Northern Palawan (2015)


2. Zamboanga Peninsula (2011)




1. Visayan Sea (1989)

3. Davao Gulf (2014)

## Chlorophyll-a = small pelagic fishes







Chl-Jan. 2014 by A. Damatac

#### 1. VISAYAN SEA

#### (November 15 to February 15)

Republic of the Philippines Department of Agriculture BUREAU OF FISHERIES AND AQUATIC RESOURCES 860 Quezon Ave., Quezon City, Metro Manila 3008

July 12, 1989

FISHERIES ADMINISTRATIVE) ORDER No. 167: Series of 1989)

SUBJECT: Establishing a closed season for the conservation of sardines and herrings and mackerels in the Visayan Sea.

Pursuant to the provisions of sections 3 (b), 4 and 7 of Presidential Decree No. 704. as amended, otherwise known as the Fisheries Decree of 1975, and Section ) of Presidential Decree No. 1015, the following rules and regulations are hereby promulgated for the protection and conservation of certain species of fish known as sardines and herrings (Clupcidae) and mackerels (Scombridae) in the Visayan Sca.

Section 1. Definition. - For the purpose of this order, the following terms are used herein shall be construed as follows:

a) Sardines and herrings shall include the following species of fish belonging to the family Clupeidae and known under the following scientific and local names: Sardinella fimbriata, fimbriated sardines, tunsoy, lac-lac, tabagak, tamban, liryan; Sardinella perferata, deep-bodied herrings, halobaybay, tamban, lapad, tamban lison, lapa; sardinc/la longiceps, Indian sardines, tamban tunsoy, haul-haul; Dusumjeria acuta, round dwarf herring, tulis, balantiyong, and hilos-hilos.

b) Mackerels shall mean species of fish belonging to the family Scombridae and known under the following scientific and local nun Rastrelliger brachysoma, short-bodied mackerels, hasa-hasa, and Rastrelliger chrysozonus, striped mackerels, alumahan and bulao.

c) Fry on young sardines and mackerels shall refer to the fry or young of the species mentioned in Section 1 a) and 1 (b) above, and known under the local names of "lupoy," "silinyasi," "linatsay" or "manansi".



(Source: Visayan Sea Project).







#### 2. ZAMBOANGA PENINSULA

(December 1 to March 1)



Republic of the Philippines

OFFICE OF THE SECRETARY

Elliptical Road, Diliman

Quezon City 1100

Philippines

BFAR ADMINISTRATIVE)
CIRCULAR NO. 255
:
SERIES OF 2014......

SUBJECT: <u>Establishing Closed Season for the Conservation of</u> Sardines in East Sulu Sea, Basilan Strait and Sibuguey Bay.


Pursuant to Sections 2 (c) and (f), 3 (a),9, 16, 35 and 107 of Republic Act 8550 or the Philippine Fisheries Code of 1998, this Administrative Circular is hereby promulgated for the conservation of sardines in that portion of the East Sulu Sea, Basilan Strait and Sibuguey Bay hereafter known as the **conservation area** of approximately 6,481.80 square nautical miles or 22,260.36 square kilometers encompassing the western municipal/national waters of Zamboanga Del Norte, the waters bordering south and eastern waters of Zamboanga City and southern portion of Zamboanga Sibugay, enclosed by lines drawn between the points and coastlines shown in the attached chart and coordinates.







# Little Santa Cruz Island, Zamboanga City, nursery ground for main PH sardine by volume










# 3. DAVAO GULF (June 1 to August 31)













#### 4. NORTHERN PALAWAN

(November 1 - January 31)







Chair, NFARMC Director, BFAR




# Case Study: Manila Bay and the Supreme Court Mandamus

Republic of the Philippines SUPREME COURT Manila

EN BANC

G.R. Nos. 171947-48

February 15, 2011



CONCERNED RESIDENTS OF MANILA BAY, represented and joined by DIVINA V. ILAS, SABINIANO ALBARRACIN, MANUEL SANTOS, JR., DINAH DELA PEÑA, PAUL DENNIS QUINTERO, MA. VICTORIA LLENOS, DONNA CALOZA, FATIMA QUITAIN, VENICE SEGARRA, FRITZIE TANGKIA, SARAH JOELLE LINTAG, HANNIBAL AUGUSTUS BOBIS, FELIMON SANTIAGUEL, and JAIME AGUSTIN R. OPOSA, Respondents.


RESOLUTION

#### VELASCO, JR., J.:


On December 18, 2008, this Court rendered a Decision in G.R. Nos. 171947-48 ordering petitioners to clean up, rehabilitate and preserve Manila Bay in their different capacities. The fallo reads:

- (5) Pursuant to Sec. 65 of RA 8550, the DA, through the BFAR, is ordered to improve and restore the marine life of the Manila Bay. It is also directed to assist the LGUs in Metro Manila, Rizal, Cavite, Laguna, Bulacan, Pampanga, and Bataan in developing, using recognized methods, the fisheries and aquatic resources in the Manila Bay.
- (5) The Department of Agriculture (DA), through the Bureau of Fisheries and Aquatic Resources, shall submit to the Court on or before June 30, 2011 a report on areas in Manila Bay where marine life has to be restored or improved and the assistance it has extended to the LGUs in Metro Manila, Rizal, Cavite, Laguna, Bulacan, Pampanga and Bataan in developing the fisheries and aquatic resources in Manila Bay. The report shall contain monitoring data on the marine life in said areas. Within the same period, it shall submit its five-year plan to restore and improve the marine life in Manila Bay, its future activities to assist the aforementioned LGUs for that purpose, and the completion period for said undertakings.










# Demersal biomass in Manila Bay ~7% remaining

Year	Stock Density (t/km²)	Relative Density (% of Baseline)	Source
1947	4.61	100	Warfel and Manacop, 1950
1968 - 72	1.71	37.1	Silvestre et al., 1987
1993 - 93	0.47	10.2	Armada, 1994
2014	0.32	6.9	NFRDI, 2015



# Manila Bay seafloor appears to be biologically dead...




Average nitrate (NO<sub>3</sub>) profile of Manila Bay from 2012 – 2015


Average dissolved oxygen (DO) concentration in the Water Column of the Bay (mg/L) (2012-2015)

# Distribution of sardine ggs, larvae, spawners in Manila Bay (March)

Sardinella gibbosa (Stage IV = gravid)









Sardinella fimbriata (Stage IV = gravid)



Fish eggs (Total)








Fish larvae (Total)






#### Southeast Side of Manila Bay: Conservation Area for Sardines?



#### Source: Philippine Reclamation Authority



#### "Solar City"



## The Manila Times

#### The world's leading gifts fair

HOME NEWS OPINION REGIONS WORLD SPORTS BUSINESS SPECIAL F

YOU ARE AT: Home » News » The Latest News » Solar City soon to rise in Manila Bay

#### Solar City soon to rise in Manila Bay

BY THE MANILA TIMES ON DECEMBER 8, 2016

THE LATEST NEWS, TODAY'S BREAKING NEW:



Mayor Joseph Estrada on Thursday said the construction of Solar City, a multibillion state-of-the-art green urban center in Manila Bay, will provide thousands of jobs and bring the city government additional revenues.

The Solar City reclamation project will start soon since President Rodrigo Duterte has given his nod to the creation of a tourism, commercial and residential district along Manila Bay.

Estrada said the city government is almost done processing the documentary requirements and clearances of Manila Goldcoast Development Corp. (MGDC), which won the contract in 1991.





#### "New Manila Bay International Community"

**SECTIONS** Sunday, April 16, 2017

**INQUIRER.NET** 

TODAY'S PAPER Q







#### Erap OKs 3rd reclamation project

By: Aie Balagtas See - Reporter / @ABalagtasSeeINQ Philippine Daily Inquirer / 12:10 AM February 08, 2017



The future "city within a city," as envisioned in this artist's presentation, is touted as the country's most advanced reclamation project.-photo courtesy of manila city government

Manila Mayor Joseph Estrada has approved another multibillion-peso reclamation project on the city's section of Manila Bay, the third to get the green light since the former President became the city's chief executive in 2013.





#### TRENDING



GLOBALNATION

Qatar emir foots hotel bills of PH media

APRIL 16, 2017




North Korea's Kim stages giant show of military strength APRIL 16, 2017



China warns of war as North Korea vows 'merciless' response to US

APRIL 15, 2017

# Exact impact of Manila Bay reclamation to fish spawning not yet known, but likely NOT good !!!



#### Impacts of Land Reclamation to fisheries ...

- destruction of natural spawning and nursery grounds,
- local extinctions of fish populations,
- loss of seagrass and wetlands flora,
- loss of benthic communities,
- interference with seabird (and wetland bird) breeding sites and reduction in nesting habitat,
- altered water flow and habitat.

www.environment.gov.au

# Question is not only impact but more importantly ...

- Fish or Buildings?
- Food security or Economic Security ?
- Supreme Court mandamus or Executive Branch directive ?
- For Manila Bay: Revival or Reclamation ?
- Fisheries Code or Reclamation Authority ?
- Conservation or Development ?

# Who will answer these questions and implement recommendations???



# Thank you !!!



fisheriesjournal.ph